

NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

- Prior authorization for a non-preferred agent in any category will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to; appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Max Units List at: <http://www.hidesigns.com/ndmedicaid>
- This is not an all-inclusive list of medications that require PA. For more information visit.
- Acronyms
PA – Indicates Preferred Agents that Require Clinical PA.
- This PDL is subject to change. Preferred positions and criteria will go into effect when a SRA is executed.

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADHD		
<p>Category PA Criteria:</p> <p>Branded non-preferred agents: require a fourteen (14) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.</p> <p>Generic non-preferred agents: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
ADDERALL XR (dextroamphetamine/amphetamine)	ADDERALL (dextroamphetamine/amphetamine)	*** Kapvay will require a 1 month trial of immediate release clonidine.
ADZENYS XR - ODT (amphetamine)	clonidine ER	
clonidine	CONCERTA	
DAYTRANA (methylphenidate)	DEXEDRINE (dextroamphetamine)	
DESOXYN (methamphetamine)	dexmethylphenidate ER	
dexmethylphenidate	dextroamphetamine/amphetamine ER	
dextroamphetamine	FOCALIN (dexmethylphenidate)	
dextroamphetamine 5mg/5ml	INTUNIV (guanfacine ER)	
dextroamphetamine ER	METHYLIN (methylphenidate) chew tablets	
dextroamphetamine/amphetamine	METHYLIN (methylphenidate) solution	
DYANAVEL XR (amphetamine)	methylphenidate CD 30-70	
EVEKEO (amphetamine)	methylphenidate ER capsules 50-50	
FOCALIN XR (dexmethylphenidate)	methylphenidate ER tablet - Mallinckrodt	
guanfacine ER	methylphenidate LA capsules - 50-50	
KAPVAY (clonidine) ^{PA}	RITALIN (methylphenidate)	
METADATE CD (methylphenidate CD)		
METADATE ER (methylphenidate)		
methamphetamine		
methylphenidate chew tablet		
methylphenidate ER tablet- Actavis		
methylphenidate solution		
methylphenidate tablet		
PROCENTRA (dextroamphetamine)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
QUILLIVANT XR (methylphenidate)		
RITALIN LA (methylphenidate LA capsules - 50-50)		
STRATTERA (atomoxetine)		
VYVANSE (lisdexamfetamine)		
ZENZEDI (dextroamphetamine)		
ALLERGENIC EXTRACTS		
<p>Category PA Criteria:</p> <ol style="list-style-type: none"> 1. Patient must not have severe, unstable, or uncontrolled asthma 2. Patient must be a FDA approved age 3. Patient must have a FDA approved diagnosis of allergic rhinitis due to a pollen contained in the requested product 4. Patient's diagnosis must be confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies contained in the requested product. <p>Non-preferred agents:</p> <ol style="list-style-type: none"> 1. Must have failed a trial of 2 of the following: oral antihistamines, intranasal antihistamines, intranasal corticosteroids, or leukotriene inhibitors 2. Must have failed a trial or have intolerance to subcutaneous allergen immunotherapy (allergy shots) 		
GRASTEK (GRASS POLLEN-TIMOTHY, STD) ^{PA}	ORALAIR (GR POL-ORC/SW VER/RYE/KENT/TIM)	
RAGWITEK (WEED POLLEN-SHORT RAGWEED) ^{PA}		
ANTIANGINAL		
RANEXA (ranolazine)		
ANTICOAGULANTS - INJECTABLE		
<p>Category PA Criteria: A thirty (30) day trial of one (1) preferred agent will be required before a non-preferred agent will be authorized. All non-preferred agents will require a FDA indication.</p>		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux	
	FRAGMIN (dalteparin)	
	LOVENOX (enoxaparin)	
ANTICOAGULANTS - ORAL		
<p>Category PA Criteria: A thirty (30) day trial of all preferred agent will be required before a non-preferred agent will be authorized. All agents will require a FDA indication.</p>		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ELIQUIS (Apixaban) ^{PA}	SAVAYSA (edoxaban)	
PRADAXA (dabigatran) ^{PA}		
XARELTO (rivaroxaban) ^{PA}		
ANTICONVULSANTS		
<p>Category PA Criteria: Branded non-preferred agents: require a fourteen (14) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.</p> <p>Generic non-preferred agents: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
APTIOM (esucarbazepine)	carbamazepine ER capsule	
BANZEL (rufinamide) ORAL SUSPENSION	carbamazepine oral suspension	
BANZEL (rufinamide) TABLET	carbamazepine XR tablet	
carbamazepine chewable tablet	CARBATROL (carbamazepine)	
carbamazepine tablet	DEPAKENE (valproic acid) CAPSULE	
CELONTIN (methsuximide)	DEPAKENE (valproic acid) ORAL SOLUTION	
divalproex ER	DEPAKOTE (divalproex sodium) TABLET	
divalproex sprinkle	DEPAKOTE ER (divalproex sodium)	
divalproex tablet	DEPAKOTE SPRINKLE (divalproex sodium)	
ethosuximide capsule	DILANTIN (phenytoin) CHEWABLE TABLET	
ethosuximide oral solution	DILANTIN (phenytoin) ORAL SUSPENSION	
felbamate oral suspension	DILANTIN ER (phenytoin)	
felbamate tablet	EPITOL (carbamazepine)	
FYCOMPA (perampanel)	FELBATOL (felbamate)	
gabapentin capsule	FELBATOL (felbamate) ORAL SUSPENSION	
gabapentin oral solution	FELBITOL (felbamate) ORAL SUSPENSION	
gabapentin tablet	KEPPRA (levetiracetam)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GABITRIL (tiagabine)	KEPPRA (levetiracetam) ORAL SOLUTION	
LAMICTAL ER (lamotrigine) DOSE PACK	KEPPRA (levetiracetam) ORAL SOLUTION	
LAMICTAL ODT (lamotrigine)	KEPPRA XR (levetiracetam)	
LAMICTAL ODT (lamotrigine) DOSE PACK	LAMICTAL (lamotrigine)	
LAMICTAL XR (lamotrigine)	LAMICTAL (lamotrigine) CHEWABLE TABLET	
lamotrigine chewable tablet	LAMICTAL (lamotrigine) DOSE PACK	
lamotrigine dose pack	MYSOLINE (primidone)	
lamotrigine ER	NEURONTIN (gabapentin) CAPSULE	
lamotrigine ODT	NEURONTIN (gabapentin) ORAL SOLUTION	
lamotrigine tablet	NEURONTIN (gabapentin) TABLET	
levetiracetam ER	QUDEXY XR (topiramate)	
levetiracetam oral solution	TOPAMAX (topiramate)	
levetiracetam tablet	TOPAMAX (topiramate) SPRINKLE CAPSULE	
LYRICA (pregabalin)	TRILEPTAL (oxcarbazepine)	
LYRICA (pregabalin) ORAL SOLUTION	TRILEPTAL (oxcarbazepine) ORAL SUSPENSION	
oxcarbazepine oral solution	ZARONTIN (ethosuximide) ORAL SOLUTION	
oxcarbazepine tablet	ZONEGRAN (zonisamide)	
OXTELLAR XR (oxcarbazepine)	ZARONTIN (ethosuximide)	
PEGANONE (Ethotoin)		
phenobarbital elixir		
phenobarbital tablet		
PHENYTEK (pheytoin)		
phenytoin chewable tablet		
phenytoin ER capsule		
phenytoin suspension		
POTIGA (ezogabine)		
primidone		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SABRIL (vigabatrin)		
SABRIL (vigabatrin) POWDER PACK		
TEGRETOL (carbamazepine)		
TEGRETOL XR (carbamazepine)		
TEGRETROL (carbamazepine oral suspension)		
tiagabine		
topiramate ER		
topiramate sprinkle capsule		
topiramate tablet		
TROKENDI XR (topiramate)		
valproic acid capsule		
valproic acid oral solution		
VIMPAT (lacosamide)		
VIMPAT (lacosamide) ORAL SOLUTION		
zonisamide		
ANTICONVULSANTS - BENZODIAZEPINES - RECTAL		
<p>Category PA Criteria: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
DIASTAT (diazepam) RECTAL KIT	diazepam rectal kit	
ANTIDEMENTIA		
<p>Category PA Criteria: All agents will require a FDA indication for patients less than 30 years old Branded non-preferred agents: require a fourteen (14) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement. Generic non-preferred agents: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
donepezil	ARICEPT (donepezil)	
EXELON (rivastigmine)	donepezil ODT	
EXELON (rivastigmine) PATCH	NAMENDA (memantine)	
galantamine	NAMZARIC (memantine/donepezil)	
galantamine ER	RAZADYNE (galantamine)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
galantamine oral solution	RAZADYNE ER (galantamine)	
memantine	rivastigmine patch	
NAMENDA (memantine) ORAL SOLUTION		
NAMENDA XR (memantine)		
rivastigmine		
ANTIDEPRESSANTS - NEW GENERATION		
<p>Category PA Criteria: Branded non-preferred agents: require a fourteen (14) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.</p> <p>Generic non-preferred agents: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
bupropion SR tablet	APLENZIN ER (bupropion)	
bupropion tablet	CELEXA (citalopram)	
bupropion XL tablet	CYMBALTA (duloxetine)	
citalopram	EFFEXOR XR (venlafaxine)	
citalopram oral solution	fluoxetine DR	
clomipramine	FORFIVO XL (bupropion)	
desvenlafaxine ER	IRENKA (duloxetine)	
duloxetine	LEXAPRO (escitalopram)	
escitalopram	LEXAPRO (escitalopram) ORAL SOLUTION	
escitalopram oral solution	PAXIL (paroxetine)	
FETZIMA (levomilnacipran)	PAXIL CR (paroxetine)	
fluoxetine capsule	PROZAC (fluoxetine)	
fluoxetine solution	WELLBUTRIN (bupropion)	
fluoxetine tablet	WELLBUTRIN SR (bupropion)	
fluvoxamine	WELLBUTRIN XL (bupropion)	
fluvoxamine ER	ZOLOFT (sertraline)	
KHEDEZLA ER (desvenlafaxine)	ZOLOFT (sertraline) ORAL CONCENTRATE	
nefazodone		
OLEPTRO ER (trazodone)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
paroxetine		
paroxetine ER		
PAXIL (paroxetine) ORAL SUSPENSION		
PEXEVA (paroxetine)		
PRISTIQ ER (desvenlafaxine)		
PROZAC WEEKLY (fluoxetine)		
sertraline		
sertraline oral concentrate		
trazodone		
TRINTELLIX (vortioxetine)		
venlafaxine capsule		
venlafaxine ER tablets		
venlafaxine tablet		
VIIIBRYD (vilazodone)		
ANTIHEMOPHILIC FACTORS		
Category PA Criteria: 1. Patient must visit an accredited Hemophilia Treatment Center for yearly checkups 2. The doctor must provide the date of patient's last appointment at the treatment center 3. The doctor must include the contact information for the treatment center last visited by the patient		
ADVATE ^{PA}		
ADYNOVATE ^{PA}		
ALPHANATE ^{PA}		
ALPHANINE SD ^{PA}		
ALPROLIX ^{PA}		
BEBULIN ^{PA}		
BENEFIX ^{PA}		
ELOCTATE ^{PA}		
FEIBA ^{PA}		
HELIXATE FS ^{PA}		
HEMOFIL M ^{PA}		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMATE-P ^{PA}		
IXINITY ^{PA}		
KOATE-DVI ^{PA}		
KOGENATE FS ^{PA}		
KOGENATE FS BIO-SET ^{PA}		
MONOCLATE-P ^{PA}		
MONONINE ^{PA}		
NOVOEIGHT ^{PA}		
NOVOSEVEN ^{PA}		
OBIZURE ^{PA}		
PROFILNINE SD ^{PA}		
RECOMBINATE ^{PA}		
RIXUBIS ^{PA}		
WILATE ^{PA}		
XYNTHA ^{PA}		
ANTHYPERLIPIDEMICS - CETP INHIBITORS		
VYTORIN (ezetimibe/simvastatin)		
ZETIA (ezetimibe)		
ANTHYPERLIPIDEMICS - NIACIN		
Category PA Criteria: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
NIASPAN ER (niacin)	niacin ER	
ANTHYPERTENSIVE - BETA BLOCKERS		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
acebutolol	BETAPACE AF (sotalol)	
atenolol	CORGARD (nadolol)	
betaxolol	INDERAL LA (propranolol)	
bisoprolol	LOPRESSOR (metoprolol)	
BYSTOLIC (nebivolol)	SECTRAL (acebutolol)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INDERAL XL (propranolol)	SORINE (sotalol)	
INNOPRAN XL (propranolol)	TENORMIN (atenolol)	
metoprolol	TOPROL XL (metoprolol)	
metoprolol ER	ZEBETA (bisoprolol)	
nadolol		
pindolol		
propranolol		
propranolol ER		
sotalol		
sotalol AF		
timolol		
ANTIPROTOZOAL AGENTS		
Category PA Criteria: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
ALINIA (nitazoxanide)	tinidazole	
atovaquone		
MEPRON (atovaquone)		
TINDAMAX (tindazole)		
ANTIRETROVIRALS - PROTEASE INHIBITORS		
APTIVUS (tipranavir)		
CRIXIVAN (indinavir)		
EVOTAZ (atazanavir/cobicistat)		
GENVOYA (elvitegravir, cobicistat, emtricitabine and tenofovir)		
INVERASE (saquinavir)		
KALENTRA (lopinavir/ritonavir)		
LEXIVA (fosamprenavir)		
NORVIR (ritonavir)		
PREZCOBIX (darunavir/cobicistat)		
PREZISTA (darunavir)		
RAYATAZ (atazanavir)		
VIRACEPT (nelfinavir)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ASTHMA - LONG ACTING ANTICHOLINERGICS		
Category PA Criteria: Patient must be 12 years old or older		
SPIRIVA RESPIMAT 1.25 MG (tiotropium)		
ATYPICAL ANTIPSYCHOTICS		
Category PA Criteria:		
Branded non-preferred agents: require a fourteen (14) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
Generic non-preferred agents: A thirty (30) day trial of a pharmaceutically equivalent preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
ABILIFY (aripiprazole)	aripiprazole	
ABILIFY (aripiprazole) ORAL SOLUTION	CLOZARIL (clozapine)	
ABILIFY DISCMELT (aripiprazole)	GEODON (ziprasidone)	
clozapine	INVEGA ER (paliperidone)	
clozapine ODT	RISPERDAL (risperidone)	
FANAPT (iloperidone)	RISPERDAL (risperidone) ORAL SOLUTION	
FAZACLO (clozapine) RAPDIS	RISPERDAL M-TAB (risperidone)	
LATUDA (lurasidone)	SEROQUEL (quetiapine)	
olanzapine	ZYPREXA (olanzapine)	
olanzapine ODT	ZYPREXA ZYDIS (olanzapine)	
olanzapine/fluoxetine		
paliperidone ER		
quetiapine		
REXULTI (brexipiprazole)		
risperidone		
risperidone ODT		
risperidone oral solution		
SAPHRIS (asenapine)		
SEROQUEL XR (quetiapine)		
SYMBYAX (olanzapine/fluoxetine)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
VRAYLAR (cariprazine)		
ziprasidone		
ATYPICAL ANTIPSYCHOTICS - LONG ACTING		
ABILIFY MAINTENA (aripiprazole)		
ARISTADA (aripiprazole lauroxil)		
INVEGA SUSTENNA (paliperidone)		
INVEGA TRINZA (paliperidone)		
RISPERDAL CONSTA (risperidone)		
ZYPREXA RELPREVV (olanzapine)		
COPD		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized. All preferred agents indicated only for COPD will require verification of FDA approved indication for patients who are less than 40 years of age. All non preferred agents will require FDA approved indication regardless of age.		
Long Acting anticholinergics		
SPIRIVA (tiotropium)	INCRUSE ELLIPTA (umeclidium)	
SPIRIVA RESPIMAT 2.5 MG (tiotropium)		
TUDORZA PRESSAIR (aclidinium)		
Long Acting Beta Agonists		
FORADIL (formoterol)	ARCAPTA NEOHALER (indacaterol)	***Brovana/Arcapta Neohaler require a 30 day trail of Striverdi in addition to Category PA Criteria
SEREVENT (salmeterol)	BROVANA (arformoterol)	
PERFOROMIST (formoterol)	STRIVERDI RESPIMAT (olodaterol)	
Short Acting Combination		
albuterol/ipratropium	DUONEB (albuterol/ipratropium)	
COMBIVENT RESPIMAT (albuterol/ipratropium)		
Long Acting Combination		
Group PA Criteria: A thirty (30) day trial of one (1) preferred agent in either the Long Acting Beta Agonist or Long Acting anticholinergic group will be required in addition to category PA criteria before a non-preferred agent will be authorized.		
ANORO ELLIPTA (umeclidium/vilanterol)	STIOLTO RESPIMAT (tiotropium/olodaterol)	
PDE4 - Inhibitor		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Group PA Criteria: In addition to the Category PA Criteria, patient must have a history of exacerbations treated with corticosteroids within the last year and have had the following thirty (30) day trials: <ol style="list-style-type: none"> 1. one (1) agent in the Long Acting Anticholinergic group 2. one (1) agent in the Long Acting Beta Agonist group or one (1) agent in the Steroid/Anticholinergic Combination Inhalers category 3. one (1) agent in the Steroid Inhalers category or one (1) agent in the Steroid/Anticholinergic Combination Inhalers category 		
	DALIRESP (roflumilast)	
CYSTIC FIBROSIS ANTIINFECTIVES		
Category PA Criteria: A twenty eight (28) day trial of (1) preferred agent will be required before a non-preferred agent will be authorized. Non-preferred agents will require that the patient not have been colonized with <i>Burkholderia cepacia</i> and a FDA approved age and indication.		
BETHKIS (tobramycin)	CAYSTON (aztreonam)	***Cayston - Patient must have a forced expiratory volume in less than one second (FEV1) less than 25% or greater than 75% predicted.
KITABIS PAK (tobramycin/nebulizer)	TOBI (Tobramycin)	
	TOBI PODHALER (Tobramycin)	***Tobramycin/TOBI/TOBI Podhaler - Patient must have a forced expiratory volume in less than one second (FEV1) less than 40% or greater than 80% predicted. Patient must not have been colonized with <i>Burkholderia Cepacia</i> .
	Tobramycin	
CYTOKINE MODULATORS		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized. All agents will require a FDA approved indication.		
COSENTYX (secukinumab) ^{PA}	ACTEMRA (tocilizumab)	***Cosentyx - A 3 month trial of Humira only will be required for plaque psoriasis before Cosyntyx is approved.
ENBREL (etanercept) ^{PA}	CIMZIA (certolizumab)	
HUMIRA (adalimumab) ^{PA}	KINERET (anakinra)	
HUMIRA PSORIASIS (adalimumab) ^{PA}	ORENCIA (abatacept)	
	OTEZLA (apremilast)	
	REMICADE (infliximab)	
	SIMPONI (golimumab)	
	STELARA (ustekinumab)	
	XELJANZ (tofacitanib)	
DIABETES - DPP4 INHIBITORS		
JANUMET (sitagliptan/metformin)		
JANUMET XR (sitagliptan/metformin)		
JANUVIA (sitagliptan)		
JENTADUETO (linagliptin/metformin)		
KAZANO (alogliptin/metformin)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
KOMBIGLYZE XR (sitagliptan/metformin)		
NESINA (alogliptin)		
ONGLYZA (saxagliptin)		
OSENI (alogliptin/pioglitazone)		
TRADJENTA (linagliptin)		
DIABETES - GLP1 AGONISTS		
Category PA Criteria: Non preferred agents will require: <ol style="list-style-type: none"> 1. A thirty (30) day trial of two (2) preferred agents 2. A FDA indication 3. Concurrent metformin therapy 4. A 3 month trial of metformin 		
BYDUREON (exenatide microspheres)	TANZEUM (albiglutide)	
BYETTA (exenatide)	TRULICITY (dulaglutide)	
VICTOZA (liraglutide)		
DIABETES - INSULIN		
PA Criteria: A thirty (30) day trial of one (1) preferred agent will be required in the past year before a non-preferred agent will be authorized.		
HUMALOG (insulin lispro) VIAL	AFREZZA (insulin regular, human)	
HUMALOG MIX 50/50 (insulin NPL/insulin lispro) VIAL	APIDRA (insulin glulisine) VIAL	
HUMALOG MIX 75/25 (insulin NPL/insulin lispro) VIAL	APIDRA SOLOSTAR (insulin glulisine) INSULIN PEN	
HUMULIN 70/30 (insulin NPH human/regular insulin human) INSULIN PEN	HUMALOG (insulin lispro) CARTRIDGE	
HUMULIN 70/30 (insulin NPH human/regular insulin human) KWIKPEN	HUMALOG (insulin lispro) KWIKPEN	
HUMULIN 70/30 (insulin NPH human/regular insulin human) VIAL	HUMALOG MIX 50/50 (insulin NPL/insulin lispro) KWIKPEN	
HUMULIN N (insulin NPH human isophane) INSULIN PEN	HUMALOG MIX 75/25 (insulin NPL/insulin lispro) KWIKPEN	
HUMULIN N (insulin NPH human isophane) KWIKPEN	NOVOLIN 70-30 (insulin NPH human/regular insulin human) VIAL	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMULIN N (insulin NPH human isophane) VIAL	NOVOLIN N (insulin NPH human isophane) VIAL	
HUMULIN N (insulin NPH human isophane) VIAL	NOVOLIN R (insulin regular, human) VIAL	
HUMULIN R (insulin regular, human) VIAL	TOUJEO SOLOSTAR (insulin glargine)	
HUMULIN R U-500 (insulin regular, human) VIAL	TRESIBA (insulin degludec)	
LANTUS (insulin glargine) SOLOSTAR		
LANTUS (insulin glargine) FLEXTOUCH		
LANTUS (insulin glargine) VIAL		
LEVEMIR (insulin detemir) VIAL		
LEVEMIR (insulin glargine) FLEXTOUCH		
NOVOLOG (insulin aspart) CARTRIDGE		
NOVOLOG (insulin aspart) FLEXPEN		
NOVOLOG (insulin aspart) VIAL		
NOVOLOG MIX 70/30 (insulin aspart protamine/insulin aspart) INSULIN PEN		
NOVOLOG MIX 70/30 (insulin aspart protamine/insulin aspart) VIAL		
DIABETES - SGLT2 INHIBITORS		
Category PA Criteria: All agents will require a 3 month trial of metformin. Non-preferred agents will require: <ol style="list-style-type: none"> 1. A 3 month trial of all preferred agents 2. A FDA indication 3. Concurrent metformin therapy 		
FARXIGA (dapagliflozin) ^{PA}	JARDIANCE (empagliflozin)	
INVOKANA (canagliflozin) ^{PA}		
DIABETES - SGLT2 INHIBITORS COMBINATIONS		
Category PA Criteria: Non preferred agents will require: <ol style="list-style-type: none"> 1. A 3 month trial of all preferred agents 2. A FDA indication 3. A 3 month trial of metformin 		
INVOKAMET (canagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptan)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYNJARDY (empagliflozin/metformin)	
	XIGDUO XR (dapagliflozin/metformin)	
DIGESTIVE ENZYMES		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CREON (lipase/protease/amylase)	PANCREAZE (lipase/protease/amylase)	
ZENPEP (lipase/protease/amylase)	PANCRELIPASE (lipase/protease/amylase)	
	PERTZYE (lipase/protease/amylase)	
	ULTRESA (lipase/protease/amylase)	
	VIOKACE (lipase/protease/amylase)	
EPINEPHRINE PENS		
Category PA Criteria: A thirty (30) day trial of one (1) preferred agent will be required before a non-preferred agent will be authorized.		
EPIPEN (epinephrine)	ADRENACLICK (epinephrine)	
EPIPEN JR (epinephrine)	epinephrine	
FIBROMYALGIA		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
duloxetine	CYMBALTA (duloxetine)	
gabapentin capsule	NEURONTIN (gabapentin) CAPSULE	
gabapentin oral solution	NEURONTIN (gabapentin) TABLET	
gabapentin tablet	NEURONTIN (gabapentin) ORAL SOLUTION	
LYRICA (pregabalin)		
LYRICA (pregabalin) ORAL SOLUTION		
SAVELLA (milnacipran)		
GROWTH HORMONE		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<p>Category PA Criteria:</p> <ol style="list-style-type: none"> 1. Patients new to GH therapy, must meet criteria below and be started on a preferred growth hormone 2. Patients continuing GH therapy and having met criteria listed below must be switched to a preferred growth hormone 3. Patients must not have an active malignancy <p>Additional criteria applies. See for details: http://www.hidesigns.com/assets/files/ndmedicaid/Criteria/2016/growth_hormone_criteria.pdf</p>		
GENOTROPIN (somatropin) ^{PA}	HUMATROPE (somatropin)	
GENOTROPIN MINIQUICK (somatropin) ^{PA}	NUTROPIN AQ (somatropin)	
NORDITROPIN FLEXPPO (somatropin) ^{PA}	SAIZEN (somatropin)	
OMNITROPE (somatropin) ^{PA}	ZOMACTON (somatropin)	
HEMATOPOIETIC, GROWTH FACTOR		
ARANESP (darbopoetin alfa)		
EPOGEN (epoetin alfa)		
MIRCERA (methoxy polyethylene glycol-epoetin beta)		
PROCRIT (epoetin alfa)		
HEPATITIS C TREATMENTS		
<p>Category PA Criteria: Non-preferred agents will require a failed trial of all preferred treatment options indicated for the patient's genotype.</p> <ol style="list-style-type: none"> 1. Patient must have FDA approved diagnosis 2. Patient must be an FDA approved age 3. Patient must attest that they will continue treatment without interruption for the duration of therapy 4. Prescriber must be or consult with a hepatologist, gastroenterologist, or infectious disease specialist 5. Prescriber must provide documentation that the patient has been drug and alcohol free for the past 12 months 6. Patient must have liver biopsy Metavir score of 2 or greater; or Ishak score of 3 or greater 7. HCV RNA level must be taken on week 4 and sent with a renewal request for any duration of treatment 12 weeks or longer 8. Females using ribavirin must have a negative pregnancy test in the last 30 days and receive monthly pregnancy tests during treatment 9. PA approval duration will be based on label recommendation. 		
HARVONI (ledipasvir/sofosbuvir) ^{PA}	DAKLINZA (Daclatasvir)	<p>***Harvoni: - Patient must have eGFR > 30 mL/min/1.73m²</p> <p>***Technivie: - Patients must not have moderate (Child-Pugh B) or severe (Child-Pugh C)</p>
SOVALDI (sofosbuvir) ^{PA}	OLYSIO (simeprevir)	
TECHNIVIE (Ombitasvir/Paritaprevir/Ritonavir) ^{PA}		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir) ^{PA}		hepatic impairment - Patients must not have cirrhosis - Technivie must be used with Ribavirin in treatment experienced patients ***Olysio: - Olysio must be taken in conjunction with pegylated interferon and ribavirin ***Viekira Pak: - Patients must have hepatic laboratory tests before treatment and 4 weeks after treatment begins - Patients must not have moderate (Child-Pugh B) or severe (Child-Pugh C) hepatic impairment - Viekira Pak must be used with Ribavirin except for genotype 1b without cirrhosis or mild (Child-Pugh A) hepatic impairment. ***Zepatier: - Patients must not have moderate (Child-Pugh B) or severe (Child-Pugh C) hepatic impairment - Genotype 1a: Patient must be tested for baseline NS5A polymorphisms - Zepatier must be used with Ribavirin in patients with baseline NS5A polymorphisms - Zepatier must be used with Ribavirin in patients that have failed HCV NS3/4A protease inhibitor (PI) + RBV + PegIFN treatment - Patients that have failed HCV NS3/4A protease inhibitor (PI) + RBV + PegIFN treatment must not have baseline NS5A polymorphisms
ZEPATIER (elbasvir/grazoprevir) ^{PA}		
INFLAMMATORY BOWEL AGENTS (ULCERATIVE COLITIS) - NONSTEROIDAL		
Category PA Criteria: A thirty (30) day trial of each of the preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents will require an FDA indication.		
Oral		
APRISO (mesalamine) CAPSULE	ASACOL HD (mesalamine)	
balsalazide capsule	AZULFIDINE (sulfasalazine)	
DELZICOL (mesalamine) CAPSULE	AZULFIDINE DR (sulfasalazine)	
LIALDA (mesalamine) TABLET	COLAZAL (balsalazide)	
PENTASA (mesalamine) CAPSULE	DIPENTUM (olsalazine)	
sulfasalazine DR tablet	GIAZO (balsalazide)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
sulfasalazine tablet	SULFAZINE (sulfasalazine)	
Rectal		
CANASA (mesalamine) RECTAL SUPPOSITORY	mesalamine enema kit	
mesalamine enema	SF ROWASA (mesalamine) ENEMA	
IRRITABLE BOWEL SYNDROME - CONSTIPATION		
Category PA Criteria: Patients must be 18 years old. All medications will require an FDA indication		
AMITIZA (lubiprostone)		*** Linzess - A 30 day trial of Amitiza is required before Linzess will be authorized.
LINZESS (linaclotide) ^{PA}		
LICE		
Category PA Criteria: A thirty (30) day trial of each of the preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents will require an FDA indication.		
EURAX (crotamiton) CREAM	ELIMITE (permethrin) CREAM	
EURAX (crotamiton) LOTION	OVIDE (malathion)	
LICE SOLUTION (piperonyl butoxide/pyrethrins)	spinosad	
lindane lotion		
lindane shampoo		
malathion		
NATROBA (spinosad)		
permethrin cream		
permethrin liquid		
ULESFIA (benzyl alcohol)		
MIGRAINE PROPHYLAXIS - 5HT(1) AGONISTS		
Category PA Criteria: Patients 18 years old or greater: A thirty (30) day trial of all preferred agents in the past 24 months will be required before a non-preferred agent will be authorized. Patients 6 to 17 years of age: A thirty (30) day trial rizatriptan in the past 24 months will be required before a non-preferred agent will be authorized.		
RELPAK (eletriptan)	almotriptan	***Zomig Nasal Spray - a 30 day trial of zolmitriptan 5mg within the past 24 months

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
rizatriptan	ALSUMA (sumatriptan) PEN INJCTR	<p>will be required in addition to class criteria</p> <p>***Treximet - For patients 18 years or older, the patient must be stable on the combination product and have had a 30 day trial of naproxen in addition to sumatriptan to be approved. This criteria is in addition to the class criteria.</p> <p>***Frova - A 30 day trial of naratriptan 2.5 mg within the past 24 months will be required in addition to the class criteria. The patient's migraine headaches must be long in duration and or recur.</p> <p>***Axert/Sumatriptan Nasal Spray - a 30 day trial of Naratriptan 2.5mg, Zomig Nasal Spray 5 mg, Zomitriptan 5 mg, Treximet, and Frova in the past 24 months will be required in addition to the class criteria.</p> <p>***Zecuity/Sumavel DosePro - a 30 day trial of Naratriptan 2.5mg, Sumatriptan Nasal Spray 20 mg, Zomig Nasal Spray 5 mg, Zomitriptan 5 mg, Axert 12.5mg, Treximet, and Frova in the past 24 months will be required in addition to the class criteria.</p>
sumatriptan tablet	AMERGE (naratriptan)	
	FROVA (frovatriptan)	
	IMITREX (sumatriptan) CARTRIDGE	
	IMITREX (sumatriptan) PEN INJCTR	
	IMITREX (sumatriptan) SPRAY	
	IMITREX (sumatriptan) TABLET	
	IMITREX (sumatriptan) VIAL	
	MAXALT (rizatriptan)	
	MAXALT MLT (rizatriptan)	
	naratriptan	
	rizatriptan tab rapdis	
	sumatriptan cartridge	
	sumatriptan pen injctr	
	sumatriptan spray	
	sumatriptan syringe	
	sumatriptan vial	
	SUMAVEL DOSEPRO (sumatriptan)	
	TREXIMET (sumatriptan/naproxen)	
	ZECUITY (sumatriptan) PATCH	
	zolmitriptan	
	zolmitriptan ODT	
	ZOMIG (zolmitriptan)	
	ZOMIG (zolmitriptan) SPRAY	
	ZOMIG ODT (zolmitriptan)	
MULTIPLE SCLEROSIS		
Non-Interferons		
Category PA Criteria: A three (3) month long trial of all preferred agents will be required before a non-preferred agent will be authorized. A three (3) month trial of Copaxone is required. If patient has a documented intolerance, hypersensitivity, or labeled contraindication to Copaxone, a 3 month trial of interferon beta-1 is required. A FDA indication is required.		
GILENYA (fingolimod) ^{PA}	AUBAGIO (teriflunomide)	<p>***Aubagio</p> <p>- Prescriber must be a neurologist</p> <p>- Transaminase and bilirubin levels must have been obtained within 6 months of</p>
COPAXONE (glatiramer) 20 MG/ML	LEMTRADA (alemtuzumab)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TECFIDERA (dimethyl fumarate)	request - Patient must not be pregnant and if patient is of childbearing potential, reliable contraception must be used - Must not be coadministered with leflunomide ***Copaxone 40 mg/mL/glatopa (glatiramer) - These agents will require three (3) month trials of Aubagio and Tecfidera in addition to category criteria ***Gilenya - Patient must have had within 6 months of request: 1. CBC with differential 2. Electrocardiogram 3. Transaminase and bilirubin levels - Patient must have an ophthalmologic evaluation at baseline - If patient has not been vaccinated or have a history of <i>Varicella Zoster Virus</i> (VZV), prescriber must take VZV antibodies - Appointment date for first dose must be supplied ***Lemtrada - Unless patient has early aggressive disease defined as ≥ 2 relapses in the year and ≥ 1 Cadollmium (Cd)+ lesion, three (3) month trials of Tecfidera, Aubagio, and Tysabri will be required in addition to category criteria. - If patient has not been vaccinated or have a history of <i>Varicella Zoster Virus</i> (VZV), prescriber must take VZV antibodies - Patient must have had a urinalysis with urine cell counts - Patient must have had a thyroid function test - Patient must have had a TB test - Patient must have SCr levels *** Tecfidera - Patient must have had a CBC with lymphocyte count within 6 months of request ***Tysabri - Unless patient has early aggressive disease defined as ≥ 2 relapses in the year and ≥ 1 Cadollmium (Cd)+ lesion, three (3) month trials of Tecfidera and Aubagio and will be required in addition to category criteria.
	COPAXONE (glatiramer) 40 MG/ML	
	glatopa (glatiramer)	
	TYSABRI (natalizumab)	
Interferons		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Category PA Criteria: A three (3) month long trial of a preferred agent will be required before a non-preferred agent will be authorized. A FDA indication is required.		
BETASERON (interferon beta-1B)	AVONEX (interferon beta-1A)	
REBIF (interferon beta-1A)	AVONEX (interferon beta-1A) PEN	
REBIF REBIDOSE (interferon beta-1A)	AVONEX (interferon beta-1A) ADMINISTRATION PACK	
	EXTAVIA (interferon beta-1B)	
	PLEGRIDY (peginterferon beta-1A)	
	PLEGRIDY PEN (peginterferon beta-1A)	
OPHTHALMIC ANTIHISTAMINES		
Category PA Criteria: A thirty (30) day trial of three (3) preferred agents will be required before a non-preferred agent will be authorized.		
BEPREVE (bepotastine)	ALOCRIIL (nedocromil)	***Patanol, epinastine, and Lastacraft will require a 30 day trail of azelastine and Elestat in addition to the Category PA Criteria
cromolyn	ALOMIDE (Iodoxamide)	
EMADINE (emedastine)	azelastine	
PATADAY (olopatadine)	ELESTAT (epinastine)	
PAZEO (olopatadine)	epinastine	
	LASTACAFT (alcaftadine)	
	olopatadine	
	PATANOL (olopatadine)	
OPHTHALMIC ANTIINFECTIVES		
Category PA Criteria: A three (3) day trial of three (3) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
bacitracin ointment	AK-POLY-BAC (bacitracin/polymixin) OINTMENT	
bacitracin/polymixin ointment	AZASITE (arithromycin) DROPS	
ciprofloxacin drops	BESIVANCE (besifloxacin) DROPS	
erythromycin ointment	CILOXAN (ciprofloxacin) DROPS	
gentamicin sulfate drops	CILOXAN (ciprofloxacin) OINTMENT	
gentamicin sulfate ointment	gatifloxacin drops	
MOXEZA (moxifloxacin) DROPS	GENTAK (gentamicin sulfate) OINTMENT	
neomycin SU/bacitracin/polymixin B drops	ILOTYCIN (erythromycin) OINTMENT	
neomycin SU/polymixin B/gramicidin drops	levofloxacin drops	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OCUFLOX (ofloxacin) DROPS	NEO-POLYCIN (neomycin SU/bacitracin/polymixin B) DROPS	
ofloxacin drops	NEOSPORIN (neomycin SU/polymixin B/gramicidin) DROPS	
polymixin B/trimethoprim drops	POLYCIN (bacitracin/polymixin) OINTMENT	
tobramycin drops	POLYTRIM (polymixin B/trimethoprim) DROPS	
TOBREX (tobramycin) OINTMENT	TOBREX (tobramycin) DROPS	
VIGAMOX (moxifloxacin) DROPS	ZYMAXID (gatifloxacin) DROPS	
OPHTHALMIC ANTIINFECTIVES/ANTIINFLAMMATORIES		
Category PA Criteria: A seven (7) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
neomycin/polymyxin b/dexamethasone	tobramycin/dexamethasone	
neomycin/bacitracin/polymyxin b/hydrocortisone	MAXITROL (neomycin/polymyxin b/dexamethasone)	
neomycin/polymyxin b/hydrocortisone		
PRED-G (gentamicin/prednisol ac)		
TOBRADEX (tobramycin/dexamethasone)		
TOBRADEX ST (tobramycin/dexamethasone)		
ZYLET (tobramycin/lotepred etab)		
OPHTHALMIC ANTIINFLAMMATORIES		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions is indicated on the form. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
ACULAR LS (ketorolac)	ACULAR (ketorolac)	
ACUVAIL (ketorolac)	FML (fluorometholone)	
ALREX (loteprednol)	OCUFEN (flurbiprofen)	
bromfenac sodium	OMNIPRED (prednisolone acetate)	
dexamethasone sodium phosphate	PRED FORTE (prednisolone acetate)	
diclofenac sodium		
DUREZOL (difluprednate)		
FLAREX (fluorometholone)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
fluorometholone		
flurbiprofen sodium		
FML FORTE (fluorometholone)		
FML S.O.P. (fluorometholone)		
ILEVRO (nepafenac)		
ILUVIEN (fluocinolone)		
ketorolac tromethamine		
LOTEMAX (loteprednol)		
MAXIDEX (dexamethasone)		
NEVANAC (nepafenac)		
OZURDEX (dexamethasone)		
PRED MILD (prednisolone)		
prednisolone acetate		
prednisolone sodium phosphate		
PROLENSA (bromfenac)		
RETISERT (fluocinolone)		
TRIESENCE (triamcinolone)		
VEXOL (rimexolone)		
OPHTHALMIC GLAUCOMA COMBINATION AGENTS		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions is indicated on the form. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
COMBIGAN (brimonidine/timolol)	COSOPT (dorzolamide/timolol)	
COSOPT PF (dorzolamide/timolol)		
dorzolamide/timolol		
SIMBRINZA (brinzolamide/brimonidine)		
OPHTHALMIC GLAUCOMA PROSTAGLANDINS		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions is indicated on the form. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
bimatoprost	XALATAN (latanoprost)	
latanoprost		
LUMIGAN (bimatoprost)		
TRAVATAN Z (travoprost)		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
travoprost		
ZIOPTAN (tafluprost)		
OPIOID ANALGESIC - LONG ACTING		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized. For non-preferred agents to be authorized, patient must have required around the clock pain relief for the past 90 days and 3 months of the PDMP report must be reviewed and attached.		
EMBEDA (morphine/naltrexone)	BUTRANS (buprenorphine)	*** Oxycotin, morphine ER capsules, oxymorphone ER, Zohydro ER require a 30 day failed trial of Opana ER in addition to Category PA criteria. *** Hysingla, Fentanyl Patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr, and methadone require a 30 day failed trial of Opana ER, Oxycotin, and Zohydro ER in addition to Category PA criteria. ***Hydromorphone ER and Exalgo - the 90 day around the clock pain relief requirement must be met by an eqaianalgesic dose of 60mg oral morphine daily, 25 mcg transdermal fentanyl/hour, 30mg oxycodone daily, 8 mg of oral hydromorphone daily or another opioid daily. A 30 day failed trial of Opana ER, Oxycotin, and Zohydro ER is required in addition to Category PA criteria.
fentanyl 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	DURAGESIC (fentanyl)	
KADIAN (morphine) 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 80 MG, 100 MG	DURAGESIC PATCH (fentanyl)	
morphine ER tablets	EXALGO (hydromorphone)	
NUCYNTA ER (tapentadol)	fentanyl patch 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr	
	hydromorphone ER tablets	
	HYSINGLA ER (hydrocodone)	
	KADIAN (morphine) 200 mg	
	methadone	
	morphine ER capsules	
	MS CONTIN (morphine)	
	OPANA ER (oxymorphone)	
	oxycodone ER	
	OXYCONTIN (oxycodone)	
	oxymorphone ER tablets	
	tramadol ER	
	ULTRAM ER (tramadol ER)	
	XARTEMIS XR (oxycodone/acetaminophen)	
	ZOHYDRO ER (hydrocodone)	
OPIOID ANTAGONIST - OPIOID AND ALCOHOL DEPENDENCE		
VIVITROL (Naltrexone Microspheres)		
OPIOID PARTIAL ANTAGONIST - OPIOID DEPENDENCE		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

EFFECTIVE
April 1st, 2016
Version 2016.3

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<p>Category PA Criteria: A thirty (30) day trial of one (1) preferred agent will be required before a non-preferred agent will be authorized.</p> <ol style="list-style-type: none"> 1. Patient must be 16 years of age or older 2. Patient must not be taking other opioids, tramadol, or carisoprodol concurrently 3. The prescriber must be registered to prescribe under the Substance Abuse and Mental Health Services Administration (SAMHSA) and provide his/her DEA number 4. The prescriber and patient must have a contract or the prescriber must have developed a treatment plan 5. The prescriber must perform routine drug screens 6. The prescriber must routinely check the PDMP, and attach the last 3 months of PDMP reports that have been reviewed 7. The prescriber must be enrolled with ND Medicaid 		
ZUBSOLV (buprenorphine/naloxone) ^{PA}	BUNAVAIL FILM (buprenorphine/naloxone)	*** Bunavail/Suboxone Film/buprenorphine - will require a 30 day trial of buprenorphine/naloxone tablets in addition to the Category PA Criteria
	buprenorphine tablets	
	buprenorphine-naloxone tablets	
	SUBOXONE FILM (buprenorphine/naloxone)	
OTIC ANTINFECTIVES - FLOROQUINOLONES		
<p>Category PA Criteria: A seven (7) day trial of one (1) preferred product in the past three (3) months is required before a non-preferred product will be approved.</p>		
CIPRO HC (ciprofloxacin/hydrocortisone)	OCUFLOX (ofloxacin)	
CIPRODEX (ciprofloxacin/dexamethasone)	ofloxacin	
PHOSPHATE BINDERS		
<p>Category PA Criteria: The following criteria will be required before a non-preferred agent will be authorized.</p> <ol style="list-style-type: none"> 1. Patient must have had a three (3) month trial of three (3) preferred different chemical entities. 2. Patient must have end stage renal disease or chronic kidney disease 3. Patients with chronic kidney disease Stage 5 must have a phosphate level greater than 5.5 mg/dL 4. All other patients must have a phosphate level greater than 4.6 mg/dL 		
calcium acetate capsule	AURYXIA (ferric citrate) TABLET	*** Fosrenol Powder Pack - A 3 month trial of Renvela Powder Pack will be required in addition to Category PA Criteria
calcium acetate tablet	FOSRENOL (lanthanum) POWDER PACK	
ELIPHOS (calcium acetate) TABLET	RENVELA (sevelamer) POWDER PACK	*** Velporo - A 3 month trial of Aryxia will be required in addition to Category PA Criteria
FOSRENOL (lanthanum) CHEWABLE TABLET	VELPHORO (sucroferric oxyhydroxide) CHEWABLE TABLET	
PHOSLO (calcium acetate) CAPSULE		
PHOSLYRA (calcium acetate) ORAL solution		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
RENAGEL (sevelamer) TABLET		
RENVELA (sevelamer) TABLET		
PLATELET AGGREGATION INHIBITORS		
Category PA Criteria: A thirty (30) day trial of two (2) preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions is indicated on the form. A thirty (30) day trial of two (2) preferred generics of the same medication will satisfy this requirement.		
AGGRENOX (aspirin/dipyridamole)	PLAVIX (clopidogrel)	***Zontivity - Patient must be 18 years of age or older. Zontivity must be taken with aspirin and/or clopidogrel. Patient must not have a history of stroke, transient ischemic attack, or intracranial hemorrhage.
aspirin/dipyridamole ER	ZONTIVITY (vorapaxar)	
BRILINTA (ticagrelor)	PERSANTINE (dipyridamole)	
clopidogrel		
dipyridamole		
EFFIENT (prasugrel)		
ticlopidine		
PULMONARY HYPERTENSION		
PDE-5 Inhibitors		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized. All medications require an FDA approved indication.		
ADCIRCA (tadalafil) ^{PA}	REVATIO (sildenafil) SUSPENSION	***Revatio Suspension - Patients 7 years and older will be required to submit documentation of their inability to ingest a solid dosage form
sildenafil ^{PA}	REVATIO (sildenafil) TABLET	
		***sildenafil - A thirty (30) day trial of Adcirca will be required for all patients less than 18 years old
Soluble Guanylate Cyclase Stimulators		
Category PA Criteria: Patients of childbearing potential must not be pregnant, be taking a reliable form of birth control, and have a pregnancy test before initiation and monthly during therapy. All medications require an FDA approved indication. Patients must be at least 18 years of age.		
ADEMPAS (riociguat) ^{PA}		
Endothelin Receptor Antagonist		
Category PA Criteria: Patients of childbearing potential must not be pregnant, be taking a reliable form of birth control, and have a pregnancy test before initiation and monthly during therapy. All medications require an FDA approved indication. Patients must be at least 18 years of age.		
LETAIRIS (ambrisentan) ^{PA}		***Tracleer - LFTs must be measured at baseline and monthly during therapy
OPSUMIT (macitentan) ^{PA}		
TRACLEER (bosentan) ^{PA}		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
Prostacyclins		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized. Patients must be at least 18 years of age.		
eproprosteno ^{PA}	REMODULIN (treprostinil)	***Ventavis 20mcg/mL - A patient must be maintained at a 5 mcg dose and repeatedly experiencing incomplete dosing due to extended treatment time to be approved
FLOLAN (epoprostenol) ^{PA}	TYVASO (treprostinil)	
ORENITRAM ER (treprostinil) ^{PA}	UPTRAVI (selexipag)	
VELETRI (epoprostenol) ^{PA}	VENTAVIS (iloprost) 20 mcg/mL	
VENTAVIS (iloprost) 10 mcg/mL ^{PA}		
STEROID/LONG ACTING BETA AGONIST (LABA) COMBINATION INHALERS		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents must have FDA approved indication.		
For COPD diagnosis, the following will be required in addition to the Category PA criteria. 1. A thirty (30) day trial of Tudorza Pressair, Spiriva, Incruse Ellipta, Anoro Ellipta, or Stiolto Respimat will be required. 2. A thirty (30) day trial of Anoro Ellipta, Stiolto Respimat, Foradil, Brovana, Arcapta, or Sevevent will be required.		
For Asthma diagnosis, patient must have been reviewed for step down therapy for all renewal requests.		
ADVAIR DISKUS (fluticasone/salmeterol)	ADVAIR HFA (fluticasone/salmeterol)	
DULERA (mometasone/formoterol)	BREO ELLIPTA (fluticasone/vilanterol)	
SYMBICORT (budesonide/formoterol)		
STEROID INHALERS		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized		
AEROSPAN (flunisolide)	ASMANEX HFA (mometasone)	
ALVESCO (ciclesonide)	ARNUITY ELLIPTA (fluticasone)	
ASMANEX (mometasone) TWISTHALER		
FLOVENT DISKUS (fluticasone)		
FLOVENT HFA (fluticasone)		
PULMICORT FLEXHALER (budesonide)		
QVAR (beclomethasone)		
STEROID TOPICAL SOLUTIONS		
clobetasol solution		

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ELOCON (mometasone) solution		
fluocinolone solution		
hydrocortisone solution		
mometasone solution		
SYNALAR (fluocinolone) SOLUTION		
TEXACORT (hydrocortisone SOLUTION		
TOPICAL TESTOSTERONE		
Category PA Criteria: A thirty (30) day trial of all preferred agents will be required before a non-preferred agent will be authorized. All medications require a FDA approved indication.		
ANDROGEL (testosterone) PACKET ^{PA}	ANDRODERM (testosterone)	
ANDROGEL (testosterone) GEL MD PMP ^{PA}	FORTESTA (testosterone)	
AXIRON (testosterone) ^{PA}	NATESTO (testosterone)	
	TESTIM (testosterone)	
	TESTOPEL (testosterone)	
	testosterone gel	
	testosterone Gel MD PMP	
	VOGELXO (testosterone) GEL MD PMP	
ULCER ANTI-INFECTIVES		
Category PA Criteria: A ten (10) day trial in the past 3 months of all preferred agents will be required before a non-preferred agent will be authorized		
PYLERA (bismuth/methronidazole/tegracycline)	PREVPAC (lansoprazole/amoxicillin/clarithromycin)	
	lansoprazole/amoxicillin/clarithromycin	
	OMECLAMOX-PAK (omeprazole/clarithromycin/amoxicillin)	
URINARY ANTISPASMODICS		
Category PA Criteria: A thirty (30) day trial of four (4) preferred agents will be required before a non-preferred agent will be authorized. Non-preferred agents require a FDA approved indication.		
ENABLEX (darifenacin)	DETROL (tolterodine)	***tolterodine ER will require a 1 month trial of Sanctura XR, Myrbetriq, trospium, and tolterodine in addition to the Category PA Criteria.
flavoxate	DETROL LA (tolterodine)	
oxybutynin ER	DITROPAN XL (oxybutynin)	***trospium ER will require a 1 month trial of Myrbetriq, trospium, and tolterodine in
oxybutynin syrup	GELNIQUE (oxybutynin)	

**NORTH DAKOTA DEPARTMENT OF HUMAN SERVICES
NORTH DAKOTA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**EFFECTIVE
April 1st, 2016
Version 2016.3**

This is not an all-inclusive list of available covered drugs requiring prior authorization. Only PDL managed categories are included. Refer to cover page for complete list of rules governing this PDL.

Visit <http://www.hidesigns.com/ndmedicaid> for more information on prior authorization for medications not found in this list.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
oxybutynin tablet	MYRBETRIQ (mirabegron)	addition to the Category PA Criteria.
TOVIAZ (fesoterodine)	OXYTROL (oxybutynin) PATCH	
VESICARE (solifenacin)	SANCTURA (trospium)	***Myrbetriq will require a 1 month trial of trospium and tolterodine in addition to the Category PA Criteria.
	SANCTURA ER (trospium)	
	tolterodine	***trospium will require a 1 month trial of tolterodine in addition to the Category PA Criteria.
	tolterodine ER	
	trospium	
	trospium ER	